

# D-SERIES - EARTHMOVING

The ALLU TRANSFORMER D series screener buckets have been developed for larger processing jobs. Everything from aerating compost, primary on-site screening and processing construction material. Not only does this attachment provide substantial material savings and transport costs, it also ensures that no time is lost when waiting for replacement materials.

▼ **SPECIFICATIONS**

⬆ **Hide specifications**

**Print page**

Model	Excavator		Wheel loaders		Volume		Oil flow		Weight	
	Tn	US Tn	Tn	US Tn	m3	cu yd	Lpm	Gpm	Kg	Lbs
DN 2-09	10 - 28	11 - 30.8	4 - 14	4.4 - 15.4	0.4 - 0.49	0.52 - 0.64	70 - 120	18.4 - 31.7	940	2072.3
DN 2-	12 -	13.2 -	6 - 14	6.6 -	0.52 -	0.68 -	70 - 120	18.4 -	1130	2358.4

12	28	30.8		15.4	0.66	0.86		31.7		
DN 2-17	15 - 28	16.5 - 30.8	7 - 14	7.7 - 15.4	0.76 - 0.99	0.99 - 1.29	70 - 120	18.4 - 31.7	1400	2932.1
DN 3-09	12 - 28	13.2 - 30.8	6 - 14	6.6 - 15.4	0.6 - 0.75	0.78 - 0.98	70 - 120	18.4 - 31.7	1220	2635.3
DN 3-12	16 - 28	17.6 - 30.8	7 - 14	7.7 - 15.4	0.79 - 1.01	1.03 - 1.32	95 - 160	25 - 42.2	1410	2932.1
DN 3-17	20 - 28	22 - 30.8	7 - 14	7.7 - 15.4	1.15 - 1.53	1.5 - 2	95 - 160	25.1 - 42.2	1760	3659.7
DS 3-12	16 - 35	17.6 - 38.5	8 - 22	8.8 - 24.2	0.83 - 1.04	1.09 - 1.36	95 - 160	25 - 42.2	1610	3751.4
DS 3-17	20 - 35	22 - 38.5	8 - 22	9.9 - 24.2	1.22 - 1.57	1.6 - 2.05	95 - 160	25 - 42.2	2000	4387.2
DS 3-23	24 - 35	26.4 - 38.5	12 - 22	13.2 - 24.2	1.61 - 2.10	2.11 - 2.75	120 - 200	31.7 - 52.8	2520	5202.9
DS 4-12	20 - 35	22 - 38.5	10 - 22	11 - 24.2	1.24 - 1.56	1.62 - 2.04	95 - 160	25 - 42.2	1930	5202.9
DS 4-17	24 - 35	26.4 - 38.5	12 - 22	13.2 - 24.2	1.82 - 2.38	2.38 - 3.11	120 - 200	31.7 - 52.8	2360	5202.9
DS 4-23	30 - 35	33 - 38.5	14 - 22	15.4 - 24.2	2.40 - 3.21	3.14 - 4.20	120 - 200	31.7 - 52.8	3020	6459.5
DH 3-12	18 - 45	19.8 - 49.6	8 - 30	8.8 - 33	0.85 - 1.07	1.11 - 1.40	140 - 235	36.9 - 62.0	1950	4166.7
DH 3-17	22 - 45	24.2 - 49.6	10 - 30	11 - 33	1.25 - 1.62	1.63 - 2.11	140 - 235	36.9 - 62.0	2400	5136.7
DH 3-23	26 - 45	28.6 - 49.6	14 - 30	15.4 - 33	1.65 - 2.16	2.16 - 2.83	140 - 235	36.9 - 62.0	2960	6327.2
DH 4-12	22 - 45	24.2 - 49.6	10 - 30	11 - 33	1.26 - 1.59	1.65 - 2.08	140 - 235	36.9 - 62.0	2280	5026
DH 4-17	27 - 45	29.7 - 49.6	14 - 30	15.4 - 33	1.85 - 2.43	2.42 - 3.18	140 - 235	36.9 - 62.0	2780	6128
DH 4-23	32 - 45	35.2 - 49.6	16 - 30	17.6 - 33	2.43 - 3.27	3.18 - 4.28	190 - 315	50.1 - 83.2	3490	7694

DH 4- 27	36 - 45	39.7 - 49.6	18 - 30	19.8 - 33	3.02 - 4.12	3.95 - 5.39	240 - 400	63.4 - 105.6	4080	8994
-------------	------------	----------------	------------	--------------	----------------	----------------	--------------	-----------------	------	------


<b>Blades</b>	<b>Drums</b>	<b>Accessories</b>
Universal blades Long blades X blades	25 XHD.2 (Excluding DN models) 40 XHD.2 60 XHD.2 TS16 (Excluding DN 3-09, DH 4-27) TS25 (Excluding DN 3-09, DH 4-27) TS32 (Excluding DN 3-09, DH 4-27) TS35 (Excluding DN 3-09, DH 4-27) TS50 (Excluding DN 3-09, DH 4-27) X100.2 X75.2	Extra side Directional valve Drain oil eliminator Drain line relief valve ALLU DARE Data Reporting System

**◀ BACK**


# IT TRANSFORMS




**YOUR  
PROFITS**




**YOUR  
EFFICIENCY**




**YOUR CAP-  
EX**




**YOUR  
HEALTH &  
SAFETY**




**YOUR  
WORKFORCE**



**YOUR  
MACHINES**



**YOUR WASTE**



**YOUR  
PROCESS**



**YOUR GREEN  
CREDENTIALS**